Software Engineering Project (COS 301)



Software User Manual

Version 0.2, September 2016



Team:

Emilio Singh u140

ul4006512

Gerard van Wyk	ul4101263
Matheu Botha	u14284104
Renton McIntyre	ul4312710

Overview

SwarmViz is a program that visualises how optimisation algorithms work.

Optimisation algorithms are a type of Artificial Intelligence that are used to automatically solve complex real-world problems in science, engineering, finance, and military research & development.

With SwarmViz anyone can gain an understanding of how these sophisticated problem-solving algorithms work by letting the user play around with trying different optimisation algorithms to solve different example problems.

Software Installation

There are currently 2 ways to install the program. Each will be detailed below.

Linux Installation

The base Linux installation has the following software requirements:

- 1) Qt
- 2) OpenGL
- 3) GLEW
- 4) SDL2
- 5) FreeType2
- 6) SDL2_image
- 7) SOIL

Please note that the code for the project can must be fetched from the Git repository via the link provided.

Once you have all of these, the installation process will then consist of navigating to the folder with containing the project makefile.

The program is compiled with cmake.

Once this is done, the program will be compiled and executed and start up.

Software Usage

1. Run the SwarmViz executable, the following screen should appear:

General Configuration	Env	ironmental Configuration		
			Number of dimensio	ns
Optimization Algorithm		Swarm Size	One	
Hill Climbing	\diamond	- 1 +	Boundaries (set a	ll to 0 for objective
			Min of dimension 1	Max of dimension
		Num Ontimizers	0	0
			Min of dimension 2	Max of dimension
Max Iterations			0	0
1	+			
Transformations		System Config	uration	
Growth/Shrink rate (default:1)		Objective	Function	
1.0		Ackley		0
X Shift (default:0)		Resolution	1	
0.0	Optimizer On	640x480		0
		/		
Y Shift (default:0)				
	Render Speed - 60			
Vertical Shift (default:0)				
0.0				
		a		
	Config			

- 2. Use this page to edit your desired settings. These include:
 - General Configuration

- Optimization Algorithm Determines the optimizer that will attempt to solve the provided problem domain.
- Max Iterations The number of iterations of the optimization algorithm, before it stops and settles at a final location.

• Environmental Configuration

- Swarm Size The number of particles (potential solutions to the problem) that attempt to solve. In algorithms such as basic Particle Swarm Optimization, where there is a "social" effect (particles positions' affect each other), this can be a huge factor influencing the efficiency of the algorithm.
- Number of Optimizers: Explained in next section.
- Number of Dimensions Determine whether optimizing on a 1D function mapped to a 2D landscape or a 2D function mapped to a 3D landscape (height is always fitness).
- Boundaries [Optional] If you would like to not use the default values for the landscape function, enter boundary values for the dimension(s). If you would like to return to default values on further runs, set all values back to 0.
- **Transformations [Minor]** These scale and shift values can alter the values upon which the algorithms function. Scale will rarely have a visible effect in the visualiser, due to the normalisation of graphical components. A shift will generally affect the bounds (and thus the landscape).

• System configuration

- Objective choice Determines the landscape that the optimization algorithm traverses. The landscape is created by mapping a mathematical function.
- Resolution Determines the size of the graphical window created. Choose a value that suits your display size and GPU capabilities.

3. Choosing number of optimizers

As mentioned before, the Environmental Configuration contains an option for the number of optimizers, allowing options 1, 2 or 4. When increased, the user is given the ability to select more optimization algorithms. The visualizer, when run, will display these optimizers on an identical landscape next to each other, thus allowing efficient comparison of the two. The screen will now look as follows:

		41 m m							F actor		-1.06							
General Configuration				Enviro	onmenta	al Cont	iguration											
													Numb	per of dimension	ons	_		
Hill	Climbi	201					^			varm size	1	+		One		0	Two	
Second	Algorithm	ig	hird Algorithm		Fourth	Algorithm	~				-		defa	ults)	all to i	U for o	bjecti	ve
Hill	Cli	0	Hill Cli	0	Hill	Cli	0						Minio	f dimension 1	M	ax of di 0	mensio	on
										Num. Optir	mizers							
Max Ite	rations									4	\$		Min o	f dimension 2	M	ax of di	mensio	on
_			1				+									•		
ransforn	nations										Svste	m Confic	uration					
ansforn	nations	nrink rate (default:1)								Syste	m Config Objective	uration Function					
ansforn	nations Growth/SH	nrink rate (default:1)]			Syste	m Config Objective Ackley	uration Function					
ansforn	nations Growth/St	nrink rate (default:1)								Syste	m Config Objective Ackley Resolutio	uration Function	6		¢		
ransforn	nations Growth/St 1.0 X Shift (de	efault:0)	default:1)					otimize	r On		Syste	m Config Objective Ackley Resolution 640x480	uration Function		_	 ≎		
ransforn	nations Growth/SH 1.0 X Shift (de 0.0	arink rate (afault:0)	default:1)				Op	otimize	r On		Syste	m Config Objective Ackley Resolution 640x480	uration Function			0		
ransforn	nations Growth/SH 1.0 X Shift (de 0.0 Y Shift (de	efault:0)	default:1)				Op	otimize	r On		Syste	m Config Objective Ackley Resolution 640x480	uration Function			0		
ransforn	nations Growth/Sh 1.0 X Shift (de 0.0 Y Shift (de 0.0	sfault:0)	default:1)				Op	otimize der Sp	r On Deed -		Syste	m Config Objective Ackley Resolution 640x480	uration Function			0		
ransforn	Ations Growth/SH 1.0 X Shift (de 0.0 Y Shift (de 0.0 Vertical SI	arink rate (afault:0) afault:0) hift (defaul	default:1)				Ren	otimize der Sp 60	r On Deeed -		Syste	m Config Objective Ackley Resolution 640x480	uration Function			0		

4. When selecting Particle Swarm and its derivatives, further options appear under **System Configuration** (algorithm dependent). These include

- Social Coefficient
- Cognitive Coefficient
- Inertia Weight
- Success and Fail counts
- Maximum velocity
- Constriction Coefficient
- Neighbourhood Size

These values are what you should have fun fiddling with in order to make these optimizers perform differently. Enjoy!

5. You are now ready to click the "On" button and experience the magic!

6. After some problem-dependent delay, you should see a graphical window open and the animation process to begin. For example, you could

see a screen like Figure A, slowly move to be like Figure B. Feel free to explore the environment in this time, observe behaviour and learn. :)



Figure A

Figure B

7. When the vizualization is over, you can close that screen and continue to perform vizualizations from the User Interface.